

## 500 X 500 mm

# EXPORTING TO 15+ COUNTRIES

Nearly 70% of our total production go to export, thus strengthening our international presence.



## 500mm x 500mm

Introducing 500x500mm Digital Ceramic Floor Tiles Continues a history of innovation and support to keep you ahead of the curve on the latest ceramic tiles trends. It is our pleasure to announce the launch of 500x500mm digital ceramic floor tiles. Our widest collection comprises the finest quality available in every finishes such as Rustic, Satin Matt & Glossy.

















DIGITAL FLOOR TILES









500mm x 500mm


















**™**cdp CERAMIC DIGITAL HIGH PRINT TECHNOLOGY DEFINITION
































Preview of 20501 & 20502

#### Tile Technical Specifications 396x396 mm

No.	Characteristic	Standard As Per ISO- 13006/EN176 Group BIA	Our Value
1.	Deviation in Length & Width	±0.5%	±0.4%
2.	Deviation in Thickness	±5.0%	±3.0%
3.	Straightness of Sides	±0.5%	±0.5%
4.	Rectangularity	±0.6%	±0.4%
5.	Surface Flatness	±0.5%	±0.2%
6.	Water Absorption	<5.5%	<5.5%
7.	FlexuralStrength	>21N/mm2	>26N/mm2
8.	Chemical Resistance	No Damage	No Damage
9.	Thermal Shock Resistance	No Damage	No Damage

#### Tile Technical **Specifications** 500x500 mm

No.	Characteristic	Standard As Per ISO- 13006/EN176 Group BIA	Our Value
1.	Deviation in Length & Width	±0.5%	±0.4%
2.	Deviation in Thickness	±5.0%	±3.0%
3.	Straightness of Sides	±0.5%	±0.5%
4.	Rectangularity	±0.6%	±0.4%
5.	Surface Flatness	±0.5%	±0.2%
6.	Water Absorption	<5.5%	<5.5%
7.	Flexural Strength	>27n/mm2	>28n/mm2
8.	Chemical Resistance	No Damage	No Damage
9.	Thermal Shock Resistance	No Damage	No Damage

**Note:** Every effort has been made to ensure the accuracy of the information given. However the company reserves the right to change the specifications without prior notice.

#### Packaging Details (20' FCL)

Product Catagory	Digital Ceramic Floor Tiles		
Size	396x396 mm	500x500 mm	
PCS/Box	6 Pcs	4 Pcs	
Sq. Mtr/Box	0.94 Sq. Mtr	1 Sq. Mtr	
Pallet/Container	21 Pallets	Total 20 Pallets  18 Pallets (80 Boxes per Pallet)  2 Pallets (50 Boxes per Pallet)	
Box/Container	1764 Boxes	1540 Boxes	
Sq. Mtr/Container	1658.18 Sq. Mtr	1540 Sq. Mtr	
Thickness	8.3 mm (± 0.1 mm)	8.6 mm (± 0.1 mm)	
Box Weight	16 Кд (Арргох)	18 Kg (Approx)	

### CURRENTLY EXPORTING TO 15+ COUNTRIES

Nearly 70% of our total production go to export, thus strengthening our international presence.

